



You are browsing the product catalog for

United States

ML6161 35 Lb-In. And ML6174 70 Lb-In. Non-Spring Return Direct Coupled Actuators

ML6161 and ML6174 Non-Spring Return Actuators are designed to control VAV terminal unit dampers or Honeywell ball valves.

Overview



ML6161 35 lb-in. (4 Nm) and ML6174 70 lb-in. (8 Nm) Non-Spring Return Direct Coupled Actuators (DCA) are control actuators that provide floating control for valves and dampers.

Features & Benefits:

- Selectable 45, 60, or 90° stroke in both clockwise (CW) or counter clockwise (CCW) directions
- 0 to 30° minimum position adjustment (CW or CCW direction) on all models
- Magnetic coupling eliminates the need for mechanical stops
- Auxiliary feedback potentiometer field-addable on select models
- Manual declutch on all models
- Superior A/C synchronous sub motor for consistent timing and long life

Certifications:

- UL: File No. E4436; Guide No. XAPX2
- UL94-5V: Meets plenum requirements
- CSA



Please [sign in](#) to purchase.

[Sign In](#) ×

28
Skus

Search by Part Number or Description

Clear

Compare Part Number		Description	
<input type="checkbox"/>	ML7174E2007/U	Direct Coupled Actuator, Non-Spring Return, 70 lb-in, 24 Vac, Modulating (2...	
<input type="checkbox"/>	ML7174A2001/U	Direct Coupled Actuator, Non-Spring Return, 70 lb-in, 24 Vac, Modulating (2...	
<input type="checkbox"/>	ML6174B2035/B	Direct Coupled Actuator, Non-Spring Return, 70 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6174D2009/U	Direct Coupled Actuator, Non-Spring Return, 70 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6174B2019/U	Direct Coupled Actuator, Non-Spring Return, 70 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML7161A2008/U	ⓘ Discontinued Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Modulating (2...	
<input type="checkbox"/>	ML6161B2032/B	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML7161A2016/U	ⓘ Discontinued Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Modulating (2...	
<input type="checkbox"/>	ML6161B2024/U	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML7161A2008/C	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Modulating (2...	
<input type="checkbox"/>	ML6161B2073/U	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161B2032/U	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6174B2019/B	Direct Coupled Actuator, Non-Spring Return, 70 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML7161A2008/B	ⓘ Discontinued Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Modulating (2...	
<input type="checkbox"/>	ML6161D2006/C	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161D2006/U	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6174A2010/U	Direct Coupled Actuator, Non-Spring Return, 70 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6174A2002/U	Direct Coupled Actuator, Non-Spring Return, 70 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161C2007/U	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161C2015/U	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161A2009/U	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161A2017/B	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161A2017/U	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161A2009/C	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161A2009/B	ⓘ Discontinued Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161B2024/C	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161B2024/B	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	
<input type="checkbox"/>	ML6161A2025/U	Direct Coupled Actuator, Non-Spring Return, 35 lb-in, 24 Vac, Floating, SPDT...	

Related Products



ML Series Direct Coupled Actuators Parts and...

For use with ML Series Rotary Direct Coupled Actuators



MNxx05 44 lb-in. and MNxx10 88 lb-in. Non-...

MNxx05/10 Series non-spring return direct coupled damper

[LEARN MORE](#)



INNCOM e7 EMS Thermostat

The e7 thermostat offers convenience and comfort, and can reduce in-room energy costs.